

Trying 3106016892...Open

Welcome to STN International! Enter x:x

LOGINID:sssptal644pnh

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 Sep 29 The Philippines Inventory of Chemicals and Chemical
Substances (PICCS) has been added to CHEMLIST
NEWS 3 Oct 27 New Extraction Code PAX now available in Derwent
Files
NEWS 4 Oct 27 SET ABBREVIATIONS and SET PLURALS extended in
Derwent World Patents Index files
NEWS 5 Oct 27 Patent Assignee Code Dictionary now available
in Derwent Patent Files
NEWS 6 Oct 27 Plasdoc Key Serials Dictionary and Echoing added to
Derwent Subscriber Files WPIDS and WPIX
NEWS 7 Nov 29 Derwent announces further increase in updates for DWPI
NEWS 8 Dec 5 French Multi-Disciplinary Database PASCAL Now on STN
NEWS 9 Dec 5 Trademarks on STN - New DEMAS and EUMAS Files
NEWS 10 Dec 15 2001 STN Pricing
NEWS 11 Dec 17 Merged CEABA-VTB for chemical engineering and
biotechnology
NEWS 12 Dec 17 Corrosion Abstracts on STN
NEWS 13 Dec 17 SYNTHLINE from Prouis Science now available on STN
NEWS 14 Dec 17 The CA Lexicon available in the CAPLUS and CA files
NEWS 15 Jan 05 AIDSLINE is being removed from STN

NEWS EXPRESS FREE UPGRADE 5.0e FOR STN EXPRESS 5.0 WITH DISCOVER!
(WINDOWS) NOW AVAILABLE
NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 14:20:04 ON 29 JAN 2001

=> file medline embase scisearch biosis caplus

COST IN U.S. DOLLARS

SINCE FILE TOTAL
ENTRY SESSION

FILE 'MEDLINE' ENTERED AT 14:20:36 ON 29 JAN 2001

FILE 'EMBASE' ENTERED AT 14:20:36 ON 29 JAN 2001
COPYRIGHT (C) 2001 Elsevier Science B.V. All rights reserved.

FILE 'SCISEARCH' ENTERED AT 14:20:36 ON 29 JAN 2001
COPYRIGHT (C) 2001 Institute for Scientific Information (ISI) (R)

FILE 'BIOSIS' ENTERED AT 14:20:36 ON 29 JAN 2001
COPYRIGHT (C) 2001 BIOSIS(R)

FILE 'CAPLUS' ENTERED AT 14:20:36 ON 29 JAN 2001
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2001 AMERICAN CHEMICAL SOCIETY (ACS)

=> S method

L1 8196787 METHOD

=> s l1 and treatment

L2 1053355 L1 AND TREATMENT

=> s l2 and infertility

L3 6308 L2 AND INFERTILITY

=> s l3 and human

4 FILES SEARCHED...

L4 5488 L3 AND HUMAN

=> s l4 and TGF beta 2

L5 0 L4 AND TGF BETA 2

=> s l4 and sperm antigen

L6 21 L4 AND SPERM ANTIGEN

=> d l6 all 1-21

L6 ANSWER 1 OF 21 MEDLINE

AN 2000197636 MEDLINE

DN 20197636

TI Anti-sperm antibodies from infertile patients and their cognate
sperm antigens: a review. Identity between SAGA-1, the
H6-3C4 antigen, and CD52.

AU Diekman A B; Norton E J; Westbrook V A; Klotz K L; Naaby-Hansen S; Herr J
C

CS Center for Recombinant Gamete Contraceptive Vaccinogens, University of
Virginia Health System, Charlottesville 22908, USA.

NC HD U54 29099 (NICHHD)

P30 28934 (NICHHD)

U54 HD 28934

+

SO AMERICAN JOURNAL OF REPRODUCTIVE IMMUNOLOGY, (2000 Mar) 43 (3) 134-43.

Ref: 94

Journal code: AEZ. ISSN: 1046-7408.

CY Denmark
 DT Journal; Article; (JOURNAL ARTICLE)
 General Review; (REVIEW)
 (REVIEW, TUTORIAL)
 LA English
 FS Priority Journals
 EM 200008
 EW 20000804
 AB PROBLEM: The correlation of anti-sperm antibodies (ASA) with some instances of unexplained **infertility** implicates a role for these antibodies in blocking fertilization. Improved diagnosis and **treatment** of immunologic **infertility**, as well as a more complete understanding of the mechanism behind this phenomenon, are dependent on the identification and characterization of relevant **sperm antigens**. METHOD OF STUDY: In this article, we review literature on **methods** employed to identify **sperm antigens** using anti-sperm polyclonal and monoclonal antibodies from infertile patients and vasectomized men. Particular focus is given to approaches using **human** and mouse monoclonal antibodies to define the SAGA-1 **human sperm antigen**. RESULTS: ASA present in sera and genital tract secretions from infertile patients and vasectomized men have been employed in a variety of **methods** to identify **sperm antigens**. In an alternate approach, a monoclonal antibody (mAb), H6-3C4, was immortalized from the lymphocytes of an infertile woman who exhibited sperm-immobilizing titers. Subsequently, the sperm-agglutinating, murine S19 mAb was shown to react with the H6-3C4 cognate antigen. The H6-3C4
 S19 cognate antigen, designated Sperm Agglutination Antigen-1 (SAGA-1), was characterized as a polymorphic, highly acidic, GPI-anchored glycoprotein on the surface of **human** spermatozoa. Purification with the S19 mAb followed by microsequencing demonstrated that the SAGA-1 core peptide is identical to CD52, a glycoprotein on the surface of **human** lymphocytes. Immunoblot analysis demonstrated that these two glycoproteins differed in carbohydrate composition. Thus, sperm SAGA-1 and lymphocyte CD52 represent glycoforms, glycoproteins with the same core peptide but with different carbohydrate structures. CONCLUSIONS: Autoimmunity to the SAGA-1 and/or CD52 glycoforms may lead to **infertility**. Structural and immunologic differences between these glycoproteins may be important factors in the etiology of immunologic **infertility** and other autoimmune disorders.
 CT Check Tags: Animal; Female; **Human**; Male; Support, Non-U.S. Gov't; Support, U.S. Gov't, P.H.S.
 *Antigens, CD: IM, immunology
 *Antigens, Surface: IM, immunology
 *Autoantibodies: AN, analysis
 *Glycoproteins: IM, immunology
 ***Infertility, Female: IM, immunology**
 ***Infertility, Male: IM, immunology**
 *Isoantibodies: AN, analysis
 *Spermatozoa: IM, immunology
 CN 0 (Antigens, CD); 0 (Antigens, Surface); 0 (Autoantibodies); 0 (CD52 antigen); 0 (Glycoproteins); 0 (Isoantibodies); 0 (SAGA-1 protein)
 L6 ANSWER 2 OF 21 MEDLINE
 AN 2000111077 MEDLINE
 DN 20111077
 TI Identification of **human** sperm peptide sequence involved in egg binding for immunocontraception.
 AU Naz R K; Zhu X; Kadam A L
 CS Division of Research, Department of Obstetrics and Gynecology, Medical College of Ohio, Toledo, Ohio 43614, USA.. rnaz@mco.edu

NC HD24425 (NICH)
 SO BIOLOGY OF REPRODUCTION, (2000 Feb) 62 (2) 318-24.
 Journal code: A3W. ISSN: 0006-3363.
 CY United States
 DT Journal; Article; (JOURNAL ARTICLE)
 LA English
 FS Priority Journals
 EM 200005
 EW 20000501
 AB Development of a vaccine based on **sperm antigens**
 represents a promising approach to contraception. The sperm-zona
 pellucida
 (ZP) interaction constitutes the most important event in the
 fertilization
 process, and the molecular sequences involved at this site may provide
 the
 most attractive candidates for immunocontraception. In the present study,
 using the phase peptide display technique, a novel dodecamer sequence,
 designated as YLP(12), was identified that is involved in sperm-ZP
 recognition/binding. The synthetic 12-mer peptide based on this sequence
 and its monovalent Fab' antibodies specifically and significantly ($P < 0.05$) inhibited **human** sperm-ZP binding. In Western blot and
 immunoprecipitation procedures, the YLP(12) peptide recognized the ZP3
 component of solubilized **human** ZP proteins. In the Western blot
 procedure involving 10 different **human** tissue extracts, the
 anti-YLP(12) Fab' antibodies recognized a protein band of approximately
 72 +/- 2 kDa only in the testis lane. The peptide sequence was localized on
 the acrosomal region of the **human** sperm cell. These findings
 indicate that the novel testis-specific 12-mer YLP(12) that is present in
 the acrosomal region and is involved in **human** sperm-ZP
 interaction may find applications in contraceptive vaccine development,
 as
 well as in diagnosis and **treatment** of male infertility
 mediated through sperm dysfunction.
 CT Check Tags: Female; **Human**; In Vitro; Male; Support, U.S. Gov't,
 P.H.S.
 Antibodies: IM, immunology
 Antibodies: IP, isolation & purification
 Blotting, Western
 *Contraception, Immunologic: MT, methods
 DNA: AN, analysis
 DNA: IP, isolation & purification
 Fluorescent Antibody Technique, Indirect
 Immunoglobulins, Fab: AN, analysis
 Ovum: IM, immunology
 *Ovum: ME, metabolism
 Peptide Library
 *Peptides: CH, chemistry
 Peptides: IM, immunology
 *Spermatozoa: CH, chemistry
 Testis: ME, metabolism
 Vaccines: IM, immunology
 Zona Pellucida: CH, chemistry
 Zona Pellucida: ME, metabolism
 RN 9007-49-2 (DNA)
 CN 0 (Antibodies); 0 (Immunoglobulins, Fab); 0 (Peptide Library); 0
 (Peptides); 0 (Vaccines)
 L6 ANSWER 3 OF 21 MEDLINE
 AN 2000048885 MEDLINE
 DN 20048885
 TI Vaccine for contraception targeting sperm.

AU Naz R K
 CS Department of Obstetrics and Gynecology, Medical College of Ohio, Toledo
 43614-5806, USA.. rnaz@mco.edu
 NC HD24425 (NICHD)
 SO IMMUNOLOGICAL REVIEWS, (1999 Oct) 171 193-202. Ref: 68
 Journal code: GG4. ISSN: 0105-2896.
 CY Denmark
 DT Journal; Article; (JOURNAL ARTICLE)
 General Review; (REVIEW)
 (REVIEW, TUTORIAL)
 LA English
 FS Priority Journals
 EM 200004
 EW 20000404
 AB Development of a vaccine(s) based on **sperm antigens**
 represents a promising approach to contraception. The utility of a
sperm antigen in immunocontraception is contingent upon
 its tissue specificity, involvement in fertility and on raising high
 antibody titer, especially locally in the genital tract, that is capable
 of inducing reversible **infertility**. Several **sperm**
antigens, such as lactate dehydrogenase C4, PH-20, sperm protein
 (SP)-10, fertilization antigen (FA)-1, FA-2, cleavage signal (CS)-1,
 NZ-1,
 and NZ-2 have been proposed as potential candidates for the vaccine
 development. *Spermzona pellucida* (ZP) binding is a pivotal tissue- and
 mostly species-specific event in the fertilization process, and the
 molecules involved in this site constitute the most exciting candidates
 for immuno-contraception. FA-1 is a sperm-specific glycoprotein having
 receptor activity for ZP recognition and binding. Complementary DNA
 encoding for FA-1 antigen has been cloned and sequenced. Active
 immunization of animals with recombinant FA-1 antigen causes a
 long-lasting reversible inhibition in fertility by raising a
 sperm-specific immune response. This antigen is also involved in
human immunoinfertility. The exciting findings from the recent
 trial in immunoinfertile couples indicate that the FA-1 antigen may have
 clinical application in the **treatment** of male
infertility. A vaccine having most appropriate tissue-specific and
 effective recombinant and/or synthetic epitopes of various **sperm**
antigens, such as the FA-1 antigen, in a single formulation may
 provide a highly immunogenic and efficacious antisperm vaccine for
 contraception. The advances made during the last 5 years suggest that it
 may be a realistic proposition.
 CT Check Tags: Animal; **Human**; Male; Support, U.S. Gov't, P.H.S.
 *Contraception, Immunologic: MT, methods
 *Spermatozoa: IM, immunology
 *Vaccines: IM, immunology
 CN 0 (Vaccines)
 L6 ANSWER 4 OF 21 MEDLINE
 AN 90060616 MEDLINE
 DN 90060616
 TI [Intra-tubal embryo transfer (IVF/IT-ET) in the **treatment** of
 non-tubal-induced sterility. Initial studies of the value of a new and
 expensive therapy procedure].
 Der intratubare Embryotransfer (IVF/IT-ET) in der Behandlung der nicht
 tubar bedingten Sterilitat. Erste Untersuchungen zur Stellung eines neuen
 und aufwendigen Therapieverfahrens.
 AU Wurfel W; Krusmann G; Hirsch P; Rothenaicher M; Krusmann W Sr
 CS Frauenklinik Dr. Krusmann, Munchen..
 SO GEBURTSHILFE UND FRAUENHEILKUNDE, (1989 Oct) 49 (10) 894-901.
 Journal code: FK5. ISSN: 0016-5751.
 CY GERMANY, WEST: Germany, Federal Republic of
 DT Journal; Article; (JOURNAL ARTICLE)

LA German
FS Priority Journals
EM 199003

AB Intratubar embryo transfer is a form of sterility **treatment**, in which the in-vitro-fertilized pre-implantation embryos are transferred into the intact fallopian tube(s). This enables the benefits of in-vitro fertilization (information of the gamete fertilization behavior, specific incubation of dysmature oocytes, reduction of the polyploidy rate, risk

of multiple pregnancies) to be combined with those of gamete intrafallopian transfer (GIFT; tubar environment for the further development of the pre-implantation embryos). Intratubar embryo transfer is indicated in cases of sterility that are not due to the fallopian tubes; in addition

to idiopathic sterility, particular emphasis is put on a certain form of immunological sterility (antibodies against **sperm antigens**), which seems to be a special indication for this **method**. Intratubar embryo transfer demands a two sided approach. It is advisable to collect the oocytes transvaginally, guided by ultrasound, since general anaesthesia maybe dispensed with - if so desired. The embryo transfer itself still requires a pelviscopy, which is only performed once fertilization of the oocyte has been confirmed; which is in contrast to GIFT, in which pelviscopy is an inherent part of each **treatment** cycle. In spite of this advantage, intratubar embryo transfer is a **method**, which is associated with a high expenditure. The aim of the study was, to evaluate the success rate when all the alternative, less costly options have been exhausted. Our first results are demonstrating, that intratubar embryo transfer is successful, even as a second line therapy. Therefore the **method** has a significance in the **treatment** of sterility, not caused by the tubes and the expenditure, with which it is associated, can be justified. (ABSTRACT TRUNCATED AT 250 WORDS)

CT Check Tags: Comparative Study; Female; **Human**

Adult

Embryo Transfer: EC, economics

***Embryo Transfer: MT, methods**

English Abstract

Fallopian Tube Patency Tests

Fallopian Tubes

***Fertilization in Vitro: MT, methods**

Follow-Up Studies

Gamete Intrafallopian Transfer: MT, methods

***Infertility, Female: TH, therapy**

Pregnancy

Pregnancy, Multiple

Preimplantation Phase

L6 ANSWER 5 OF 21 MEDLINE

AN 86239842 MEDLINE

DN 86239842

TI **Sperm antigens** and autoantibodies: effects on fertility.

AU Shulman S

SO AMERICAN JOURNAL OF REPRODUCTIVE IMMUNOLOGY AND MICROBIOLOGY, (1986 Mar) 10 (3) 82-9.

Journal code: 3XY. ISSN: 8755-8920.

CY United States

DT Journal; Article; (JOURNAL ARTICLE)

LA English

FS Priority Journals

EM 198609

AB There are several antigens of the **human** sperm cell that can stimulate production of autoantibodies in certain individuals. This occurs

in a number of spontaneous cases and leads to a condition of immunological

infertility. It also occurs in a majority of men who have had a vasectomy. There are currently many new developments for the detection of the antibody, the study of its significance, and in the **treatment** of this autoimmune disease. As for the diagnostic testing of the serum, there are the classical **methods** of agglutination, namely, GAT, TSAT, TAT, and CTAT, and of immobilization. There are also the newer **methods** of the passive hemagglutination assay, the radio-label-antiglobulin test, the ELISA, the hemadsorption procedure,

and

the ATP-luminescence cytotoxicity **method**, plus indirect MAR (mixed antiglobulin reaction) and IBT (immunobead test) procedures. For testing of the genital secretions, sperm cells can be evaluated directly by the MAR and IBT **methods**, and cervical mucus, after being dissolved, can be tested by the MIS (microscale **method**) or an indirect IBT procedure. Interpretations of the significance of sperm antibody have been passed on epidemiologic values and also on direct fertilization-inhibition studies. **Treatment** of the antibody problem has been based on several approaches, but the most promising approach has been the use of intermittent high-dose steroid medication. A number of studies have shown good results by this procedure of immunosuppression.

CT Check Tags: Female; **Human**; Male; Support, Non-U.S. Gov't

Adrenal Cortex Hormones: AD, administration & dosage

Adrenal Cortex Hormones: TU, therapeutic use

Agglutination Tests

Antibodies: AN, analysis

Antigens: IM, immunology

Autoantibodies: IM, immunology

Autoimmune Diseases: IM, immunology

Cervix Mucus: IM, immunology

*Fertility

Hemagglutination Tests

Infertility, Female: DT, drug therapy

***Infertility, Female: IM, immunology**

Infertility, Male: DT, drug therapy

***Infertility, Male: IM, immunology**

Pregnancy

Semen: IM, immunology

Sperm Motility

*Spermatozoa: IM, immunology

CN 0 (Adrenal Cortex Hormones); 0 (Antibodies); 0 (Antigens); 0 (Autoantibodies)

COMMAND INTERRUPTED

If this message appears repeatedly, please notify the Help Desk.
Enter "HELP STN" for information on contacting the nearest STN Help Desk by telephone or via SEND in the STNMAIL file.

=> d his

(FILE 'HOME' ENTERED AT 14:20:04 ON 29 JAN 2001)

FILE 'MEDLINE, EMBASE, SCISEARCH, BIOSIS, CAPLUS' ENTERED AT 14:20:36 ON 29 JAN 2001

L1 8196787 S METHOD
L2 1053355 S L1 AND TREATMENT
L3 6308 S L2 AND INFERTILITY
L4 5488 S L3 AND HUMAN
L5 0 S L4 AND TGF BETA 2
L6 21 S L4 AND SPERM ANTIGEN

=> s 16 and TGF beta

L7 1 L6 AND TGF BETA

=> d 17 all

L7 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2001 ACS
AN 1998:618828 CAPLUS
DN 129:212101
TI **Treatment** and diagnosis of **infertility** using
TGF.beta. or activin
IN Robertson, Sarah Anne; Tremellen, Kelton Paul
PA Luminis Pty. Ltd., Australia
SO PCT Int. Appl., 53 pp.
CODEN: PIXXD2
DT Patent
LA English
IC ICM A61K038-18
ICS A61K039-00; G01N033-68
CC 2-3 (Mammalian Hormones)
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9839021	A1	19980911	WO 1998-AU149	19980306
	W:	AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
	RW:	GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG			
	AU 9862846	A1	19980922	AU 1998-62846	19980306
	AU 722150	B2	20000720		
	EP 1028743	A1	20000823	EP 1998-906749	19980306
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI			

PRAI AU 1997-5508 19970306
WO 1998-AU149 19980306

AB A **method** of treating an **infertility** condition in **humans** or mammals, by exposure of a prospective mother to **TGF.beta.** or a deriv. or analog of **TGF.beta.**.. The exposure is advantageously in conjunction with one or more antigens of a prospective father so that a hyporesponsive immune reaction is mounted to the one or more antigens of the prospective father.

The **treatment** illicts a transient hyporesponsive immune reaction that alleviates symptoms of the **infertility** condition.

Methods are also claimed for diagnosing an **infertility** condition in males by testing the level of **TGF.beta.** in the seminal fluid and in females by testing for the capacity of the female to convert the inactive form of **TGF.beta.** to the active form. Some specific disorders or procedures that may benefit from the present invention are: recurrent miscarriage, IVF **treatment**, anti-sperm antibody therapy, pre-eclampsia and intra-uterine growth restriction, prospective anal. of stud animal fertility in livestock breeding industries, and optimization of pregnancy outcome in livestock breeding industries.

ST **infertility treatment** diagnosis TGFbeta activin;
paternal antigen TGFbeta **infertility treatment**
diagnosis

IT Platelet (blood)
 (TGF.beta. administration in the form of platelets;
treatment and diagnosis of **infertility** using
 TGF.beta. or activin in conjunction with one or more
 antigens of a prospective father)

IT Antibodies
 RL: BSU (Biological study, unclassified); BIOL (Biological study)
 (anti-sperm antibody therapy; **treatment** and diagnosis of
infertility using TGF.beta. or activin in
 conjunction with one or more antigens of a prospective father to
 benefit various disorders and procedures)

IT Semen
 Seminal plasma
 (antigen administration in; **treatment** and diagnosis of
infertility using TGF.beta. or activin in
 conjunction with one or more antigens of a prospective father)

IT Leukocyte
Sperm
 (antigen administration on; **treatment** and diagnosis
 of **infertility** using TGF.beta. or activin
 in conjunction with one or more antigens of a prospective father)

IT Livestock
 (breeding; **treatment** and diagnosis of **infertility**
 using TGF.beta. or activin in conjunction with one
 or more antigens of a prospective father to benefit various disorders
 and procedures)

IT Transforming growth factors .beta.
 RL: BAC (Biological activity or effector, except adverse); THU
 (Therapeutic use); BIOL (Biological study); USES (Uses)
 (derivs. or analogs; **treatment** and diagnosis of
infertility using TGF.beta. or activin in
 conjunction with one or more antigens of a prospective father)

IT Uterine diseases
 (intra-uterine growth restriction; **treatment** and diagnosis of
infertility using TGF.beta. or activin in
 conjunction with one or more antigens of a prospective father to
 benefit various disorders and procedures)

IT Breeding (animal)
 (livestock; **treatment** and diagnosis of **infertility**
 using TGF.beta. or activin in conjunction with one
 or more antigens of a prospective father to benefit various disorders
 and procedures)

IT Diagnosis
Infertility (animal)
 (**treatment** and diagnosis of **infertility** using
 TGF.beta. or activin in conjunction with one or more
 antigens of a prospective father)

IT Antigens
 Class I MHC antigens
 MHC antigens
 Transforming growth factor .beta.1
 Transforming growth factor .beta.2
 Transforming growth factor .beta.3
 Transforming growth factors .beta.
 RL: BAC (Biological activity or effector, except adverse); THU
 (Therapeutic use); BIOL (Biological study); USES (Uses)
 (**treatment** and diagnosis of **infertility** using
 TGF.beta. or activin in conjunction with one or more
 antigens of a prospective father)

IT Abortion (spontaneous)
 In vitro fertilization (animal)
 Preeclampsia
 (**treatment** and diagnosis of **infertility** using

TGF.beta. or activin in conjunction with one or more
 antigens of a prospective father to benefit various disorders and
 procedures)
 IT Drug delivery systems
 Vaginal drug delivery systems
 (treatment and diagnosis of infertility using
 compns. contg. TGF.beta. or activin in conjunction
 with one or more antigens of a prospective father)

=> d his

(FILE 'HOME' ENTERED AT 14:20:04 ON 29 JAN 2001)

FILE 'MEDLINE, EMBASE, SCISEARCH, BIOSIS, CAPLUS' ENTERED AT 14:20:36 ON
 29 JAN 2001

L1 8196787 S METHOD
 L2 1053355 S L1 AND TREATMENT
 L3 6308 S L2 AND INFERTILITY
 L4 5488 S L3 AND HUMAN
 L5 0 S L4 AND TGF BETA 2
 L6 21 S L4 AND SPERM ANTIGEN
 L7 1 S L6 AND TGF BETA

=> s l4 and TGF beta 1

L8 0 L4 AND TGF BETA 1

=> s l4 and TGF beta 2

L9 0 L4 AND TGF BETA 2

=> s l4 and TGF beta 3

L10 0 L4 AND TGF BETA 3

=> s l4 and TGF beta

L11 1 L4 AND TGF BETA

=> d l11

L11 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2001 ACS
 AN 1998:618828 CAPLUS
 DN 129:212101
 TI Treatment and diagnosis of infertility using
 TGF.beta. or activin
 IN Robertson, Sarah Anne; Tremellen, Kelton Paul
 PA Luminis Pty. Ltd., Australia
 SO PCT Int. Appl., 53 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9839021	A1	19980911	WO 1998-AU149	19980306
	W:	AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT,			

UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
 RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, DE, DK, ES, FI,
 FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM,
 GA, GN, ML, MR, NE, SN, TD, TG
 AU 9862846 A1 19980922 AU 1998-62846 19980306
 AU 722150 B2 20000720
 EP 1028743 A1 20000823 EP 1998-906749 19980306
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
 IE, FI
 PRAI AU 1997-5508 19970306
 WO 1998-AU149 19980306